

Smart Portable Air Conditioner User Manual - Honeywell Air Comfort App

Read and save these instructions before use

(APP User Manual only. See separate Product User Manual for product instructions.)



Model:
HF08CESVWK
HF10CESVWK

Customer Support:
Web: www.jmatek.com
USA: 1-800-474-2147 | usinfo@jmatek.com
CANADA*: 1-888-209-0999 | canadainfo@jmatek.com

* Canada Customer Support service available for models sold in Canada only.




QUICK START GUIDE - HONEYWELL AIR COMFORT APP

Thank you for purchasing a Honeywell Smart Portable Air Conditioner. This Quick Start Guide is intended to provide you with important information needed to set up and operate the Honeywell Air Comfort App and an Amazon Echo device.





DOWNLOADING THE APP

CAUTION: The smart portable air conditioner and the Honeywell Air Comfort app require connection to a **2.4 GHz** Wi-Fi network for proper operation through your device.

NOTE: Ensure your Wi-Fi password does not contain any of the following characters: ", /, \ or &.



REGISTERING AN ACCOUNT




- Open the app.
- Tap **Register**.
- Read the Privacy Policy. If you agree with the Privacy policy, tap **Agree**.
- Enter your email (3A) or mobile phone number (3B).
- Tap **Get Verification Code**.

REGISTERING AN ACCOUNT (CONTINUED)




- Enter the verification code.




- Set the password.
- Tap **Done**.


SETTING UP A GROUP



- Tap **Me** on the bottom right.




- Tap **Group Management**.




- Set the **Group Name** and **Location**.
- Mark the location of the air conditioner.
- Tap **Done**.

CONNECTING THE AIR CONDITIONER WITH THE APP






- Press and hold the button on the device until it sounds and the lights up, or,
- On the remote control, press and hold and buttons until the device sounds and the lights up.
- Wi-Fi on the portable air conditioner is now active.



- Press to turn on the portable air conditioner.
- On the app, tap to add a device.

- Tap **PAC**.



- Enter the Wi-Fi password.
- Tap **Confirm**.
- Tap **Go to Connect**.
- Tap the **Smartlife-XXXX** network (XXXX - model number).
- Once connected, press the home/back button on your device and go back to the Honeywell Air Comfort App.

- Wait until the connection is completed.
- Tap **Done**.

USING THE APP

MAIN SCREEN

Family settings

Current weather conditions

- Temperature unit settings
- Outdoor Temperature
- Outdoor Humidity
- Outdoor Air Pressure
- Outdoor Wind Speed

Connected devices

Home button

Smart control button

Smith ▾

Overcast

32°C Outdoor Temper... 79.0% Outdoor Humidity 1006.7hPa Outdoor Air Pres...

All Devices Living Room Master Bedro...

Portable Air Conditioner

Switch appliance ON/OFF

Adding a device

Locations

- Grid view
- Device Sequence
- Room Management

- Group Management
- Message Center
- FAQ & Feedback
- Settings
 - Sound
 - App Notifications
 - About
 - Network Diagnosis
 - Clear Cache
 - Log Out

Home Smart Me

GROUP SETTINGS

Group Setting

Group Name Smith >

Room Management 6 Room(s) >

Location >

Group Member

John Smith john.smith@gmail.com Home Owner >

Add Member

Leave Group

Setting the **Group Name**

Room Management

Setting the group **Location**



Setting the administrator

Adding a group member


Removing a group

USING THE APP (CONTINUED)

BASIC CONTROLS



- Tap **Portable Air Conditioner**.

- Tap  to switch the portable air conditioner on/off.

Go back to main screen →

Switching on/off →

Current temperature →

Current settings →

Temperature down button →

Temperature up button →

Mode button →

Speed button →

Swing button →

Schedule button →


Device settings:

- Device Name
- Device Information
- Third-party Control (Alexa/Google Assistant)
- Offline Notification ON/OFF
- Share Device
- FAQ & Feedback
- Check Device Network
- Check for Firmware Update
- Remove Device


The diagram shows a detailed view of the 'Portable Air Conditioner' control screen. It includes a back arrow at the top left and a pencil icon at the top right. The central gauge shows a temperature of 71°F. Below the gauge are minus and plus buttons for temperature adjustment. At the bottom, there are four buttons: 'Mode' (grid icon), 'Speed' (fan icon), 'Swing' (fan with arc icon), and 'Schedule' (calendar icon). Lines connect these elements to their respective labels on the left and right.

USING THE APP (CONTINUED)

SETTING THE MODE AND FAN SPEED



- Tap **Mode** button.
- Select the **Auto, Cool, Dry, Fan** or **Sleep** mode.



- Tap **Speed** button.
- Select the **Auto, High, Medium** or **Low** fan speed setting.

SETTING A TIMER

Save button

Time selection

Timer days selection

Settings selection

Timer off settings
Select for unit to turn OFF after unit completes selected time period.


Timer on settings
Select for unit to turn ON after selected time period of being idle ends.

- Tap **Schedule** set button.
- Tap **Add Timing**.
- Set the timer(s).
- When the timer is set, tap **Save**. Multiple timers can be set following the same steps.


USING THE APP (CONTINUED)

ADDING A TAP-TO-RUN


NOTE: The tap-to-run feature allows you to activate a set of air conditioner actions at the same time with one tap.




- Tap **Smart** control button.
- Tap **Add "Tap-To-Run"**.




- Tap **Name** to set the name of the tap-to-run action.
- Tap **Style** to set the background color or image.



- Tap **Condition** to add a condition to the tap-to-run action.
- Select condition(s) you want to add.




- Tap **Task** to add a task to the tap-to-run action.
- Select the task you want to add.




- Tap **Effective Period** to select when the tap-to-run action should activate.
- Tap **Next**.
- Tap **Save**.

ADDING AN AUTOMATION


NOTE: The automation feature automatically activates a set of air conditioner actions when the set conditions are met.




- Tap **Smart** control button.
- Tap **Add "Automatic"**.




- Tap **Name** to set the name of the automation action.
- Tap **Style** to set the background color or image.



- Tap **Condition** to add a condition to the automation action.
- Select condition(s) you want to add.





- Tap **Task** to add a task to the automation action.
- Select the task you want to add.



- Tap **Effective Period** to select when the automation action should be active.
- Tap **Next**.
- Tap **Save**.


CONNECTING TO AMAZON ECHO

NOTE: Ensure your Amazon Echo device is switched on and connected to the Wi-Fi network.

- Open the "Amazon Alexa" app on your device.
- Tap  and then **Skills & Games**.
- Tap  and type "Honeywell Air Comfort". Tap the **Honeywell Air Comfort** skill.
- Tap **ENABLE TO USE** button.
- Enter your Honeywell Air Comfort App login and password.
- Tap **Link Now** and then tap **Authorize**.
- Tap **Done**.
- Tap **DISCOVER DEVICE**. Choose "Portable Air Conditioner".
- Tap **SET UP DEVICE**. Choose a group for the device or tap **SKIP**.
- Choose "Portable Air Conditioner".
- Tap **DONE**.

CONNECTING TO GOOGLE HOME

NOTE: Ensure your Google Home device is switched on and connected to the Wi-Fi network.

- Open the "Google Home" app on your device.
- Tap + on the top left. Tap **Set up device**.
- Tap **Have something already set up?**
- Tap  and type "Honeywell Air Comfort". Tap **Honeywell Air Comfort**.
- Enter your Honeywell Air Comfort App login and password.
- Tap **Link Now** and then tap **Authorize**.
- To add the portable air conditioner to a room, tap the **Portable Air Conditioner** and then tap **Add to a room**. Or tap the **X** on the top left to skip.
- Choose a room for the device, tap **Next** and then **DONE**.

Switching on/off:

- Say: "Alexa/Hey Google, turn on/off portable air conditioner".

Setting the target temperature level:

- Say: "Alexa/Hey Google, set Portable Air Conditioner to XX."
(Set between 60 °F – 90 °F)

Switching the Tap-To-Run/Automation on/off:

- Say: "Alexa/Hey Google, switch <scenario name> on/off."

TROUBLESHOOTING

Problem	Possible Cause	Solution
Unable to register/login to an account.	Mobile smart device's Wi-Fi is switched off.	Switch on the mobile smart device's Wi-Fi.
	Wi-Fi signal is too weak.	<ul style="list-style-type: none"> • Install a Wi-Fi extender (not included). • Move the portable air conditioner closer to the Wi-Fi router.
	Forgot the password of your account.	At the login screen, tap "Forgot Password" and input your Mobile/Email, then tap "Get Verification Code". An SMS or an email will be sent to you. Follow the process to reset your password.
Portable air conditioner cannot pair with the Honeywell Air Comfort App.	Portable air conditioner is not connected to the socket-outlet.	Connect the portable air conditioner to the socket-outlet.
	The Wi-Fi setting on the device is not set properly.	<ul style="list-style-type: none"> • Press and hold the Wi-Fi button on the device until it sounds twice. The Wi-Fi settings are reset. • Press and hold the Mode and Swing buttons on the remote until the device sounds 8 times and then sounds twice. The Wi-Fi settings are reset.

TROUBLESHOOTING (CONTINUED)

Problem	Possible Cause	Solution
Portable air conditioner cannot pair with the Honeywell Air Comfort App. (Continued)	Wi-Fi signal is too weak.	<ul style="list-style-type: none">• Install a Wi-Fi extender (not included).• Move the portable air conditioner closer to the Wi-Fi router.
	Wi-Fi connection frequency is incorrect.	Select a 2.4 GHz Wi-Fi network.
	Wi-Fi password is incorrect.	Use a correct Wi-Fi password.
	Wi-Fi network is invisible.	Set the Wi-Fi network to visible.
	Wi-Fi name uses foreign characters.	Set the Wi-Fi name to use standard alphabetical characters and numbers only.
	The encryption method of the router's wireless setting is wrong.	Set the encryption method of the router's wireless setting to "WPA2-PSK" and the authentication type to "AES", or both are set as automatic. Note: "802.11n only" is not allowed in wireless mode.
	The number of connected devices has reached the limit of the router.	<ul style="list-style-type: none">• Turn off the Wi-Fi functions of some of the connected devices.• Re-configure the router.
	The router has enabled the wireless MAC address filter.	<ul style="list-style-type: none">• Remove the device from the MAC address filter on the router.• Ensure the device is not prohibited by the router to connect to the network.

JMATEK North America LLC
Mahwah, New Jersey 07495 USA
Email: usinfo@jmatek.com
Web: www.jmatek.com

Made in China
© 2020 JMATEK Limited. All rights reserved.
The Honeywell Trademark is used under license
from Honeywell International Inc.
Honeywell International Inc. makes no
representations or warranties with respect to this product.
This product is manufactured by Airtek Int'l Corp. Ltd.
(subsidiary of JMATEK Ltd.).